


SHARP

SHARP

Be Original.



SHARP ELECTRONICS (MALAYSIA) SDN. BHD. (No.356997-H)
No.1A, Persiaran Kuala Langat, Section 27, 40400 Shah Alam, Selangor Darul Ehsan.
Customer Service: 03-8026 6228 (Hotline)
Email: sharpcs_support@my.sharp-world.com   Sharp Malaysia | my.sharp



Kitchen Appliances

Content

04 Flatbed Microwave Series
R2321FGK
R2121FGK

06 Family Microwave Series
R8521GK
R7521GK
R3521GK
R2021GK

08 Healsio Superheated Steam Oven
AX1700VMR

10 J-Tech Inverter Series
R859EBS
R759EBS
R259EBS

12 Classic Microwave Series
R639ES
R219EK

14 Small Kitchen Appliances
Hand Mixer | **Stand Hand Mixer** | **Stand Mixer**
EMH55WH | EMS60WH | EMS80WH
Personal Blender | **Blender**
EMS60PMWH | EM130WH | EM131BK

Jug Kettle
EKJ17K/P
EKJ171WH/PK

Rice Cooker
KSH 108 | 188 | 228 | 288 SPK/SSL/GHW
KSH 458 | 688 | 858 | 1008 CWH

Twin Cooker
KNW509SL

Air Fryer
KFAF50MBK/ST

Oven Toaster
EO9MTBK

18 Product Specifications

Flatbed Microwave Series




R2321FGK

23L 900W 6 Auto Menus

- 11 microwave power levels
- Weight & Time Defrost
- Clock/ timer setting
- Eco Mode (Power Saving Function)
- Mute/ Child Lock
- Up to 95 minutes cooking time

Functions:




R2121FGK

20L 800W


- 3 microwave power levels (Defrost | Low | High)
- Up to 30 minutes cooking time
- Defrost Weight & Time Menus



Contemporary Features



Distribute heat to every corner of the cavity evenly.



The additional space allows for greater versatility because it can facilitate dishes of any shape.



Cleaning the interior is made easier with a smooth surface and no turntable mechanism.

Family Microwave Series

New Series



R8521GK

30L	2200W Convection	1250W Grill	900W Microwave	8 Auto Menus
------------	----------------------------	-----------------------	--------------------------	------------------------

- 6 microwave power levels
- Clock/ Weight Setting
- Combination Cooking Mode
- 2 Sequence Cooking Settings
- Eco Mode (Power Saving Function)
- Mute Function

Functions:



R7521GK

25L	1100W Grill	900W Microwave	9 Auto Menus
------------	-----------------------	--------------------------	------------------------

- 11 microwave power levels
- Steam | Reheat | Defrost | Cooking Grill Combination Cooking Mode
- 2 Sequence Cooking Settings
- Eco Mode (Power Saving Function)
- Mute Function



R3521GK

25L	900W Microwave
------------	--------------------------

6 Auto Menus

- 11 microwave power levels
- 2 Sequence Cooking Settings
- Eco Mode (Power Saving Function)
- Mute Function

R2021GK

20L	800W Microwave
------------	--------------------------

8 Auto Menus

- 11 microwave power levels
- 2 Sequence Cooking Settings
- Eco Mode (Power Saving Function)
- Mute Function

HEALSIO™

Superheated Steam Oven

Cooks food using superheated steam technology. All-in-one cooking with excellent nutrient and texture retention also reduces salt, fat, and oxidation.

↑ Preserve Vitamin C
1.7 Times

↓ Reduce Calories
39 Cal

↓ Reduce Salt Intake
x5 Times

One-button healthy cooking!



Family's Choice

All-in-One Cooking

Steam + Bake + Grill + Stir-Fry



AX1700VMR

31L

1410W
Convection

800W
Microwave

15
Auto Menus

- All-in-One Auto Sensor Cooking Mode
- Steam High, Steam Low, Steam Proof
- Wide temperature heating (30°C - 250°C)
- Reheat & Defrost with 3x Sensor
- 2 Cooking Levels
- Eco Mode (Power Saving Function)
- Mute Function

Functions



Contemporary Features

Superheated Steam



It uses superheated steam to cook and has 8 times the calorific value of a convection oven. A high power heater generates a great amount of water vapor.

All-in-One Automatic Cooking



From "grilling", "baking", "stir-frying" to "steaming". As Healsio can cook automatically, you can leave it while cooking.



By using "IR temperature sensor" with this superheated steam, Healsio can cook evenly by monitoring the cooking condition.

Sterilization Function



This oven can be used to sterilize heat-resistant dishes.

J-Tech Inverter Series

J-TECH INVERTER

Japan Heating Technology



R859EBS

32L	2100W Convection	1100W Grill	1100W Microwave	5 Auto Menu
				2 Bake Menu
				6 Defrost Menu
				3 Fruit Pie Menu
				4 Roast Menu

- J-Tech Inverter
- Combination Cooking Mode
- 11 microwave power levels
- 40°C to 230°C convection temperature
- Child Lock
- Eco Mode (Power Saving Function)
- 2 Sequence Cooking Settings

Functions



*Special feature for R859GBS and not available for R759/259EBS model.

Grill + Microwave



Touch Pad Control

R759EBS

28L	1100W Quartz Grill	1000W Microwave	7 Auto Menu
			6 Defrost Menu

- J-Tech Inverter
- Combination Cooking Mode
- 11 microwave power levels
- 2 Sequence Cooking Settings
- Child Lock
- Eco Mode (Power Saving Function)

Microwave



Touch Pad Control

R259EBS

32L	900W Microwave	7 Auto Menu
		6 Defrost Menu

- J-Tech Inverter
- 11 microwave power levels
- 2 Sequence Cooking Settings
- Child Lock
- Eco Mode (Power Saving Function)

Contemporary Features

Energy Saving & Faster Cooking Time



Powerful management ensures efficient heat, reducing cooking time by 25% and saving 13% energy.

Inconsistent food temperature and higher power consumption throughout the cooking process.

Quick & Gentle Defrost



With smart power management, you can set the power flexibly. This is ideal for defrosting or cooking delicate food.

Classic Microwave Series



R639ES

23L **1000W** **900W**
Grill Microwave

- Grill Mode
- Combination Cook Mode (Steam | Reheat | Defrost | Cook | Grill)
- 5 microwave power levels
- 30 minutes max cooking time
- Defrost by weight guide
- Combi 1 - 70% Grill, 30% Microwave
- Combi 2 - 51% Grill, 49% Microwave
- Combi 3 - 33% Grill, 67% Microwave

Functions:




R219EK

20L **700W**
Microwave

- 6 microwave power levels
- 30 minutes max cooking time
- Defrost by weight guide

Small Kitchen Appliances

Add Versatility to Your Kitchen



Mixer



**Hand Mixer
EMH55WH**

300W

- 5-Speed selector with turbo function
- Easy storage box



**Stand/
Hand Mixer
EMS60WH**

300W

- 5-Speed Control
Low-stir Med | Low-blend
Med-mix | Med High-beat | Hand-whip
- Removable handheld whisk



**Stand Mixer
EMS80WH**

350W

- 5-Speed Control
Low-stir Med | Low-blend
Med-mix | Med High-beat | Hand-whip
- Stainless steel bowl
- Mixing head with stainless steel decoration
- Splash guard available

Blender



**Personal Blender
EMS60PMWH**

0.6L 300W

- Cap cover
- Anti-slip feet
- Blending & breaking ice
- Stainless steel detachable blade
- Safety lock

Jug Kettle



EKJ17K/P

1.7L 2200W

- On/ Off switch with light indicator
- Genuine Strix Safety Control
- Safety Lock Lid when water boil
- Contemporary design
- Boil-Dry Protection
- Automatically turns off when water boil



**Blender
EM130WH | EM131BK**

1.25L 350W

- Non-removable SUS blade base
- Safety Lock
- With filler cap function
- Mill set attached
- 3-Speed selector with pulse for precise blending control (Rotary Switch)



EKJ171WH/PK

1.7L 2200W

- SUS304 stainless steel inner pot
- Double wall & cool touch body
- Boil-Dry Protection
- Automatically turns off when water boil
- Anti-slip feet design
- On/ Off switch with light indicator
- Inner cover with stainless steel
- 360° rotational double wall kettle

Make it simple,
but significant

Twin Cooker • Rice Cooker



Rice Cooker



Conventional Type
Rice Cooker

KSH108 | 188 | 228 | 288 SPK/SSL/GWH

1.0L	1.8L	2.2L	2.8L
485W	700W	850W	1000W

- Auto cook
- Keep warm function
- Cook / Warm light indicator
- Non-stick inner pot



Commercial Type
Rice Cooker

KSH458 | 688 | 858 | 1008 CWH

4.5L	6.6L	8.5L	10L
1500W	2500W	2800W	2800W

- Auto cook
- Keep warm function
- Large capacity
- Cook / Warm light indicator
- Rice spatula, measuring cup

Suitable
for
Everyone



Twin Cooker
KNW509SL

1.8L (0.9L x2)	900W	12 Auto Menus
----------------	------	------------------

4 Dishes In
One Go

- Manual program with time and temperature adjustment
- Preset timer available
- Keep warm function
- Removable inner lid for easy cleaning
- Greater energy savings
- Individual control of each pot allows user to cook the different dishes at the same time or at separate timings
- Non-stick coated inner pot

Contemporary Features

4-in-1 Cooking



Different dishes can be cooked in each bowl separately, or at the same time with independent control.


Removable Inner Lid



Cleanup-friendly removable inner lid.

Kitchen Appliances Series

Lets you cook your food easily, in the comfort of your home



Air Fryer



- Air Fryer**
KFAF50MBK/ST
- 5L 1450W 8 Auto Menus
 - KFAF70MBK/ST
 - 7L 1650W 8 Auto Menus

- LED touch control panel
- Non-stick basket – easy to clean
- Low noise operation (55-62dB)
- Up to 200°C temperature with 60 mins timer
- Rapid Hot Air Technology

Oven Toaster



- Oven Toaster**
EO9MTBK
- 9L 1200W

- Perfect for grilling baking and toasting
- With light indicator
- Baking pan and wire-rack included
- 15 mins timer with auto shut off function

Contemporary Features (Air Fryer)

Hyperboloid Technology



With 360-degree hot air whirling technology, food is cooked quickly and evenly. The high heat also helps to reduce the amount of oil and fat in the broth, making the food healthier and more delicious.

Non-Stick Basket



LED Touch Control Panel



Product Specifications



Flatbed Microwave Series



Model	R2321FGK	R2121FGK
Oven Capacity	23 L	20 L
Microwave Output	900W	800W
Maximum Cooking Time	95 minutes	30 minutes
Turntable Size (Diameter)	Flatbed (Non-Turntable)	Flatbed (Non-Turntable)
Cavity Dimensions (WxHxD)	340 x 197 x 338mm	315 x 180 x 329mm
Unit Dimensions (WxHxD)	490 x 287 x 373mm	457 x 271 x 383mm
Weight	Approx. 13.2kg	Approx. 11.7kg
Mirror Glass Door	Yes	Yes
Pull Open Door	No	Yes
MEPS (EE Star Rating)	4 Star	4 Star

Family Microwave Series



Model	R8521GK	R7521GK	R3521GK	R2021GK
Oven Capacity	30 L	25 L	25 L	20 L
Microwave Output	900W	900W	900W	800W
Grill Output	1250W	1100W	-	-
Convection Output	2200W	-	-	-
Maximum Cooking Time	95 minutes	95 minutes	95 minutes	95 minutes
Turntable Size (Diameter)	315 mm	270 mm	270 mm	245 mm
Cavity Dimensions (WxHxD)	354 x 224 x 358mm	340 x 220 x 344mm	340 x 220 x 344mm	315 x 210 x 329mm
Unit Dimensions (WxHxD)	539 x 300 x 452mm	483 x 281 x 451mm	483 x 281 x 433mm	452 x 262 x 392mm
Weight	Approx. 18kg	Approx. 14kg	Approx. 13.5kg	Approx. 11.3kg
Handle-Pull Door	Yes	Yes	Yes	Yes
MEPS (EE Star Rating)	3 Star	3 Star	3 Star	3 Star

Product Specifications



HEALSIO™ Superheated Steam Oven



Model	AX1700VMR
Oven Capacity	31 L
Microwave Output	800W
Grill Output	-
Convection Output	1410W
Maximum Cooking Time	8 Hours (Proofing)
Turntable Size (Diameter)	Flatbed (Non-Turntable)
Cavity Dimensions (WxHxD)	400 x 224 x 316mm
Unit Dimensions (WxHxD)	500 x 420 x 475mm
Weight	Approx. 25kg
MEPS (EE Star Rating)	4 Star

J-Tech Inverter Series



Model	R859EBS	R759EBS	R259EBS
Oven Capacity	32 L	28 L	23 L
Microwave Output	1100W	1000W	900W
Grill Output	1100W	1100W	-
Convection Output	2100W	-	-
Maximum Cooking Time	99 mins 99 secs	99 mins 99 secs	99 mins 99 secs
Turntable Size (Diameter)	315 mm	315 mm	270 mm
Cavity Dimensions (WxHxD)	351 x 249 x 361mm	330 x 228 x 370mm	317 x 221 x 348mm
Unit Dimensions (WxHxD)	520 x 315 x 510mm	513 x 306 x 429mm	485 x 293 x 408mm
Weight	Approx. 15kg	Approx. 12kg	Approx. 9.5kg
Handle-Pull Door	Yes	Yes	Yes
MEPS (EE Star Rating)	3 Star	4 Star	4 Star

Product Specifications



Classic Microwave Series



Model	R639ES	R219EK
Oven Capacity	23 L	20 L
Microwave Output	900W	700W
Grill Output	1000W	-
Convection Output	-	-
Maximum Cooking Time	30 minutes	30 minutes
Turntable Size (Diameter)	270 mm	245 mm
Cavity Dimensions (WxHxD)	340 x 220 x 320mm	315 x 198 x 297mm
Unit Dimensions (WxHxD)	483 x 281 x 380mm	452 x 262 x 330mm
Weight	Approx. 14kg	Approx. 10.5kg
Handle-pull Door	Yes	No

Product Specifications



Stand & Hand Mixer



Model	EMH55WH	EMS60WH	EMS80WH
Capacity	-	3.4 L	4.0 L
Voltage	220V-240V	220V-240V-50Hz/60Hz	220-240V-50Hz/60Hz
Wattage	300W	300W	350W
Switch Control	-	Yes	Yes
Weight	Approx. 2.6kg	Approx. 3.95kg	Approx. 4.55kg
Actual Product Dimensions (WxHxD)	96 x 200 x 208mm	305 x 355 x 218mm	420 x 334 x 221mm
Accessories	Storage Box, S/Steel with Beater x2, S/Steel Twin Beater x2	Kneader, Spatula, Blending stick	Whick, Spatula, Beater, Dough Hook
Circuit Breaker	5 Speeds	5 Speeds	Stepless
RPM	5 Speeds	5 Speeds	Stepless

Blender



Model	EMS60PMWH	EM130WH/EM131BK
Capacity	0.6 L	1.25 L
Voltage	220-240V-50Hz/60Hz	220-240-50Hz/60Hz
Wattage	300W	350W
Switch Control	-	2-Speed & Pulse Control
Jug Material	Plastic	Plastic
Actual Product Dimensions (WxHxD)	145 x 145 x 400mm	372 x 516 x 336mm
Colour	Green/Pink	White/Black
Accessories	Cap Cover, Portable Bottle x2	1.25L Plastic Jug, Miller, Cap Cover
Safety	Safety Lock, Anti-slip	Safety Lock, Anti-slip
Blade	Stainless Steel	Stainless Steel

Product Specifications

Jug Kettle



Model	EKJ17	EKJ171
Power Source	220-240V~50Hz/60Hz	220-240V~50Hz/60Hz
On/Off Switch Light Indicator	Yes	Yes
Boil-Dry Protection	Yes	Yes
Series	Kettle	Kettle
Colour	White/Yellow	White/Pink
Capacity	1.7 L	1.7 L
Power Consumption	1850W-2200W	1850W-2200W
Safety Lock Lid	Yes	Yes
Product Dimensions (LxWxH)	210 x 150 x 240mm	221 x 151 x 261mm

Conventional Type Rice Cooker



Model	KSH108	KSH188	KSH228	KSH288
Capacity (Litre)	1.0 L (5 Cups)	1.8 L (10 Cups)	2.2 L (12 Cups)	2.8 L (15 Cups)
Voltage/Frequency	200-240V, 50/60Hz	200-240V, 50/60Hz	200-240V, 50/60Hz	200-240V, 50/60Hz
Cooking (W)	485W	700W	850W	1000W
Inner Pot	Non-stick	Non-stick	Non-stick	Non-stick
Colour	White/Grey/Pink	White/Grey/Pink	Grey/Pink	Grey/Pink
Cook/Warm Light Indicator	Yes	Yes	Yes	Yes
Product Dimensions (LxWxH)	233 x 210 x 265mm	272 x 246 x 310mm	284 x 258 x 321mm	310 x 267 x 347mm
Accessories	Measuring Cup, Steaming Tray, Rice Scoop			

Product Specifications

Commercial Type Rice Cooker



Model	KSH458CWH	KSH668CWH	KSH858CWH	KSH1008CWH
Capacity (Litre)	4.5 L (25 Cups)	6.6 L (42 Cups)	8.5 L (52 Cups)	10 L (62 Cups)
Voltage/Frequency	200-240V, 50/60Hz	200-240V, 50/60Hz	200-240V, 50/60Hz	200-240V, 50/60Hz
Cooking (W)	1500W	2500W	2800W	2800W
Inner Pot	Non-stick	Non-stick	Non-stick	Non-stick
Cook/Warm Light Indicator	Yes	Yes	Yes	Yes
Product Dimensions	368 x 280 x 415mm	505 x 450 x 320mm	571 x 470 x 363mm	596 x 500 x 365mm
Accessories	Rice Scoop, Measuring Cup			

Twin Cooker



Model	KNW509SL
Rated Voltage	220V-240V: 50 - 60Hz
Rated Power	450W x 2 = 900W
Rated Capacity	1.8 L (0.9L x 2)
Cooking Function	12 Menus
Unit Dimensions (WxHxD)	347 x 453 x 258mm
Weight	8kg
Inner Lid Material	Stainless Steel 304
UI	Touch IMD
Accessories	Scoop, Spoon, Measuring Cup, Steam Container x2

Product Specifications



Air Fryer



Model	KFAF50MBK/ST	KFAF70MBK/ST
Power Supply	1450W	1650W
Capacity	5 L	7 L
Voltage	220-240v~50Hz/60Hz	220-240v~50Hz/60Hz
Product Material	Black: Coated Metal / Silver: SUS430	
Manual Temperature Setting	80 - 200 °C	80 - 200 °C
Maximum Present Time	60 minutes	60 minutes
Dimensions (WxHxD)	276 x 360 x 314 mm	314 x 395 x 321mm
Weight	5.4kg	6.8kg
Colour	Black/Silver	Black/Silver
Cord Length	90cm	90cm
Menus	8	8

Oven Toaster



Model	EO9MTBK
Capacity	9 L
Voltage	220-240V-50Hz
Wattage	1200W
Cooking timer	15-minute timer with auto-reheat off function
Unit Dimension (WxHxD)	358 x 206 x 290 mm
Weight	3.1kg
Accessories	Baking Pan/Wire Rack/Crumb Tray